

Plinth Board



Price: £83.55 - £87.77 Excl. delivery & VAT

Product Categories: [External Pavatex](#), [NBT](#)

Product Tags: [insulated plinth board](#), [plinth board](#), [XPS](#)

Product Page: <https://www.mikewye.co.uk/product/nbt-plinth-board/>

Product Variants

- Plinth Board - 100mm ()
- Plinth Board - 80mm ()
- Plinth Board - 60mm ()
- Plinth Board - 40mm ()

Product Summary



PAVATEX HOME

Product Description

Plinth Board is an XPS insulation board for external applications at and below ground level which receive a render finish.

Plinth Board is available in thicknesses from 40 mm through to 100 mm thicknesses and are to be fitted to masonry.

Application Wall: Fitted on to masonry.

Finishes

Render with an appropriate render system.

Size

Available in 40 mm, 60 mm, 80 mm and 100 mm thick. The boards are square edged and measure 1250 mm x 600 mm giving a coverage of 0.75 m² per board. Plinth Board is sold in packs - the number of boards per pack and their coverage information is shown below.

Thickness Dimension Boards per pack Coverage per pack

40 mm

1250 mm x 600 mm

10

7.5 m²

60 mm

1250 mm x 600 mm

7

5.25 m²

80 mm

1250 mm x 600 mm

5

3.75 m²

100 mm

1250 mm x 600 mm

4

3 m²

Thermal performance

The Plinth Boards have a thermal conductivity value of 0.035 W/mK).

Product Attributes

- Board thickness: 40mm, 60mm, 80mm, 100mm