

SecilTek Reabilita Cal CS (Consolidation)



Price: £3.50 - £7.70Excl. delivery & VAT. Bulk discounts are available.

SKU: SECILNHLSCAT

Product Categories: [ecoCork Insulating Render / Plaster](#), [Natural Hydraulic Lime](#), [Secil](#)

Product Tags: [external lime filler](#), [Harl coat](#), [Lime Mortar](#), [scat coat](#), [Secil Consolidation Mortar](#)

Product Page: <https://www.mikewye.co.uk/product/secil-reabilita-cal-cs/>

Product Variants

- SecilTek Reabilita Cal CS (Consolidation) - 2.5 litre ()
- SecilTek Reabilita Cal CS (Consolidation) - 25 kg ()

Product Summary



5% discount on full pallets

Product Description

Reabilita Cal CS (formerly Consolidation Mortar) by SecilTek is a dry, pre-mixed mortar exclusively formulated from natural hydraulic lime.

Reabilita Cal CS is a blend of select aggregates and natural hydraulic lime. It has thixotropic properties, good adhesion, chemical resistance and durability specifically adapted for the intended use.

For manual application:

Use as a harl coat to provide a key prior to the application of lime render, SecilTek ecoCORK or Reabilita Cal RB.

A 25 kg bag will make up 16 litres of mortar when mixed with water to the consistency for harling (5 litres of water per 25 kg bag). This gives coverage of approximately 5 m² at an average thickness of 3 mm.

Use on old masonry in renovation systems, as a stabilising and consolidating layer of these substrates.

Reabilita Cal CS can also be used at a drier consistency as a natural hydraulic lime mortar. This gives a coverage of approximately 1.5 m² at 10 mm thick.

The use of natural hydraulic lime and the special composition, results in excellent compatibility with old substrates. As well as the physical and mechanic compliance, there is also a high chemical compatibility.

You can also use SecilTek Reabilita Cal CS as a lime filler for repairing larger cracks and damage on external lime renders.

Product Gallery





